



Resource

Federal Recommendations and the California and Federal Preventive Services Benefit Mandates

October 11, 2023

Prepared by
California Health Benefits Review Program

www.chbrp.org

Suggested Citation: *California Health Benefits Review Program (CHBRP). (2023). Resource: Federal Recommendations and the California and Federal Preventive Services Benefit Mandates. Berkeley, CA*

FEDERAL RECOMMENDATIONS AND THE CALIFORNIA AND FEDERAL PREVENTIVE SERVICES BENEFIT MANDATES

The California Health Benefits Review Program (CHBRP) provides independent evidence-based analysis of health insurance benefits-related legislation at the request of the California Legislature. As a tool for analyzing legislation, CHBRP maintains this resource to identify potential overlap between two broad benefit mandates, the Federal Preventive Services Mandate¹ and the California Preventive Services Mandate,² both of which reference four sets of federal recommendations (see list, below). This tool also notes other California benefit mandates that require health insurance coverage of some preventive services. While the other California mandates may address the benefit coverage of enrollees in grandfathered³ health insurance, the two broad preventive services mandates address only the benefit coverage of enrollees in non-grandfathered health insurance.

Please note: on March 30, 2023, the Federal District Court judge in *Braidwood Management Inc et al v. Becerra et al*¹ issued a nationwide injunction barring enforcement of the Federal Preventive Services Mandate. However, both state regulators, the California Department of Managed Health Care (DMHC)¹ and the California Department of Insurance (CDI)¹ have indicated that requirements of the California Preventive Services Mandate remain in effect for the health insurance of enrollees in non-grandfathered plans and policies regulated by DMHC or CDI.

Both the California Preventive Services Mandate and the Federal Preventive Services Mandate make coverage requirements for enrollees in non-grandfathered group and individual health insurance plans and policies by referencing these four sets of Federal recommendations:

- The United States Preventive Services Task Force (USPSTF) A and B recommendations⁴
- The Health Resources and Services Administration (HRSA)-supported health plan coverage guidelines for women's preventive services⁵
- The HRSA-supported comprehensive guidelines for infants, children, and adolescents, which include:
 - The *Bright Futures* Recommendations for Pediatric Preventive Health Care⁶, and
 - The recommendations of the Secretary's Advisory Committee on Heritable Disorders in Newborns and Children⁷
- The Advisory Committee on Immunization Practices (ACIP) recommendations that have been adopted by the Director of the Centers for Disease Control and Prevention (CDC)⁸

¹ Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act.

² California Health and Safety Code 1367.002 and California Insurance Code Section 10112.2.

³ Grandfathered health insurance was purchased on or before March 23, 2010. Grandfathered status may be lost if certain significant changes that reduce benefits or increase costs to consumers occur. See <https://www.healthcare.gov/glossary/grandfathered-health-plan/>.

⁴ USPSTF created a concise document summarizing its A and B recommendations (Current as of January 2023), available at: <https://www.uspreventiveservicestaskforce.org/uspstf/recommendation-topics/uspstf-a-and-b-recommendations>. However, for this resource CHBRP consulted USPSTF's A-Z Topic Guide because up-to-date summaries of recommendations are available through links on that webpage: <https://www.uspreventiveservicestaskforce.org/BrowseRec/Index>.

⁵ Available at: <https://www.hrsa.gov/womens-guidelines/index.html>.

⁶ Available at: <https://brightfutures.aap.org/materials-and-tools/tool-and-resource-kit/Pages/default.aspx>.

⁷ Available at: <https://www.hrsa.gov/advisory-committees/heritable-disorders/recommendations-reports/index.html>.

⁸ "Recommended immunization schedules for children and adolescents aged 18 years or younger—United States, 2022" available at: <https://www.cdc.gov/vaccines/schedules/downloads/child/0-18yrs-child-combined-schedule.pdf>.

For the preventive services identified in any of the four sets of recommendations listed above, for enrollees in non-grandfathered plans and policies, benefit coverage is required and must comply with the benefit coverage terms listed below in Table 1. For particular tests, treatments, and services, additional terms of benefit coverage may also be applicable – see Tables 2-5 on the following pages.

Table 1. Terms of Benefit Coverage required by the California Preventive Services Mandate and the Federal Preventive Service Mandate

Terms	California Preventive Services Mandate	Federal Preventive Services Mandate
Timing	as soon as 12 months after a recommendation appears	as soon as 12 months after a recommendation appears
Cost sharing⁹	<i>without cost sharing (including no application of any deductible) when delivered by in-network providers.¹⁰</i>	<i>without cost sharing (including no application of any deductible¹¹) when delivered by in-network providers.¹²</i>

The pages that follow include tables that address how the California and Federal Preventive Services Mandates are further specified (see Table 1 for the mandate’s broad requirements) by reference to one or another set of federal recommendations, as well as lists of other California mandates that have overlapping requirements.

Methods

CHBRP defines benefit mandates as per its authorizing statute.¹³ Therefore, the listed mandates fall into one or more of the following categories: (a) offer or provide coverage for the screening, diagnosis, or treatment of specific diseases or conditions; (b) offer or provide coverage for types of health care treatments or services, including coverage of medical equipment, supplies, or drugs used in a treatment or service; and/or (c) offer or provide coverage permitting treatment or services from a specific type of health care provider. Listed mandates also include those that (d) specify terms (limits, timeframes, copayments, deductibles, coinsurance, etc.) for any of the other categories.

For Table 2, CHBRP reviewed known benefit mandates in California’s Health and Safety Code (HSC) and the California Insurance Code (INS)¹⁴ to identify state benefit mandates that seem to overlap with the tests, treatments, or services partially or fully addressed by one or more of USPSTF’s A and B recommendations. If there does not appear to be overlap, “None identified” appears in the last column. Where there appears to be overlap, the relevant HSC and INS are listed in the last column.

“Recommended immunization schedule for adults aged 19 years or older—United States, 2022” available at: <https://www.cdc.gov/vaccines/schedules/downloads/adult/adult-combined-schedule.pdf>.

⁹ Application of a deductible is allowed for enrollees in health savings account (HSA) qualified high deductible health plan (HDHP) if not applying the deductible would disqualify the plan as a federally recognized HSA-HDHP.

¹⁰ C. Herman, DMHC, July 2023

¹¹ The deductible prohibition is specified at: <https://www.cms.gov/CCIIO/Resources/Fact-Sheets-and-FAQs/preventive-care-background>.

¹² The in-network providers detail is specified at <https://www.federalregister.gov/documents/2015/07/14/2015-17076/coverage-of-certain-preventive-services-under-the-affordable-care-act>.

¹³ Available at: <http://www.chbrp.org/faqs.php>.

¹⁴ CHBRP maintains a list of benefit mandates current in California, available at: <https://www.chbrp.org/other-publications/resources>.

USPSTF maintains a concise document summarizing its A and B recommendations.¹⁵ The rows in Table 2 are organized categorically by condition or disease groups addressed by a USPSTF recommendation. Categories are identified as cancer, chronic conditions, health promotion, pregnancy-related, and sexual health. The columns in Table 2 indicate the specified test, treatment, or service, and any terms of benefit coverage that would be indicated by that particular recommendation. If the USPSTF recommendation was established or updated less than 12 months ago, that row is highlighted in the table.

For Table 3, CHBRP used complementary methods. For Table 3 the known benefit mandates in the HSC and INS were reviewed to identify overlap with HRSA-supported health plan coverage guidelines for women’s preventive services,¹⁶ developed initially by the Institute of Medicine (IOM)¹⁷ in 2011. In March 2021, The American College of Obstetricians (ACOG) was awarded a cooperative agreement to review and recommend updates to the Women’s Preventive Services Guidelines biennially, or upon the availability of new evidence, as well as new preventive services topics. This joint program is called the Women’s Preventive Services Initiative.¹⁸

For Table 4 and Table 5, CHBRP used complementary methods with a few exceptions. For Table 4, the known benefit mandates in the HSC and INS were reviewed to identify overlap with HRSA-supported comprehensive guidelines for infants, children, and adolescents, which include: (1) The *Bright Futures* Recommendations for Pediatric Preventive Health Care;¹⁹ and (2) the recommendations of the Secretary’s Advisory Committee on Heritable Disorders in Newborns and Children.²⁰ For Table 5, the known benefit mandates in the HSC and INS were reviewed to identify overlap with ACIP recommendations that have been adopted by the Director of the CDC.²¹ Because individual recommendations often relate to multiple conditions and diseases, and because the schedules often imply complex variation by age—and sometimes by sex—for both Table 4 and Table 5, CHBRP has not listed each benefit mandate as specified by reference to HRSA and ACIP. Instead, the benefit mandates are aggregated as screenings or treatments related to “wellness” or as “vaccine preventable diseases.” Links to HRSA- and ACIP-supported schedules are provided in the tables.

¹⁵ Available at: <https://www.uspreventiveservicestaskforce.org/uspstf/recommendation-topics/uspstf-a-and-b-recommendations>

¹⁶ Available at: <https://www.hrsa.gov/womens-guidelines/index.html>.

¹⁷ The Institute of Medicine (IOM) is now known as the National Academy of Medicine (NAM).

¹⁸ More information is available at: <https://www.womenspreventivehealth.org/>

¹⁹ Available at: <https://brightfutures.aap.org/materials-and-tools/tool-and-resource-kit/Pages/default.aspx>.

²⁰ Available at: <https://www.hrsa.gov/advisory-committees/heritable-disorders/recommendations-reports/index.html>.

²¹ “Recommended immunization schedules for children and adolescents aged 18 years or younger—United States, 2022” available at: <https://www.cdc.gov/vaccines/schedules/downloads/child/0-18yrs-child-combined-schedule.pdf>.

“Recommended immunization schedule for adults aged 19 years or older—United States, 2022” available at: <https://www.cdc.gov/vaccines/schedules/downloads/adult/adult-combined-schedule.pdf>.

Table 2. California²² and Federal²³ Preventive Service Mandates Specified by Reference to USPSTF A and B Recommendations & Other Related Mandates in California State Law.²⁴

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
In the rows that follow, recommendations released less than 12 months prior to 8/30/2023 are highlighted in the same color as this cell. If the recommendation modifies an existing recommendation, the modification is <u>underlined and defined</u> .					
Cancer					
1	Breast cancer	An appropriate brief familial risk assessment tool. Women with a positive result should receive genetic counseling followed by genetic testing for BRCA1 or BRCA2, if indicated.	Women with a personal or family history of breast, ovarian, tubal, or peritoneal cancer or an ancestry associated with <i>BRCA1</i> or <i>BRCA2</i> gene mutation Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing	BRCA-Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing (Updated August 2019) Grade: B	Breast cancer screening, diagnosis, and treatment: HSC 1367.6, INS 10123.8 Cancer screening tests: HSC 1367.66, INS 10123.20
2	Breast cancer	Offer to prescribe risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors	Women aged 35 years and older at increased risk for breast cancer and at low risk for adverse medication effects	Breast Cancer: Medication Use to Reduce Risk (Updated September 2019) Grade: B	Breast cancer screening, diagnosis, and treatment: HSC 1367.6, INS 10123.8 Cancer screening tests: HSC 1367.665, INS 10123.20

²² H&SC 1367.002 & IC 10112.2

²³ Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act

²⁴ CHBRP is aware that state regulation may also require benefit coverage, but is focusing this resource on health insurance benefit mandate laws.

²⁵ See Table 1 for benefit coverage specifics applicable to all tests, treatments, and services addressed by the California and Federal Preventive Services Mandates.

²⁶ Unless otherwise noted, the links listed below were accessed on or before 8/2/2023.

²⁷ Unless otherwise noted, the mandates listed below were reviewed on or before 8/2/2023.

²⁸ Benefit coverage terms required for all recommended preventive services are listed in Table 1.

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
3	Breast Cancer (Topic is in the process of being updated by USPSTF) ²⁹	Screening mammography	Women aged 50 to 74 years Biennial screening Note: HRSA (see Table 2, below) recommends beginning at age 40, so the Preventive Services mandate prohibits cost sharing for women aged 40-74.	Breast Cancer: Screening (Updated January 2016) Grade: B	Mammography: HSC 1367.65, INS 10123.81 Breast cancer screening, diagnosis, and treatment: HSC 1367.6, INS 10123.8 Cancer screening tests: HSC 1367.665, INS 10123.20
4	Cervical cancer (Topic is in the process of being updated by USPSTF)	Cervical cytology (Pap smear)	Women 21 to 65 years* Screen every 3 years *Women aged 30 to 65 years have the option of this recommendation or the recommendation below	Cervical Cancer: Screening (Updated August 2018) Grade: A	Cancer screening tests: HSC 1367.665, INS 10123.20 Cervical cancer screening: HSC 1367.66, INS 10123.18
5	Cervical cancer (Topic is in the process of being updated by USPSTF)	Cervical cytology and high-risk human papillomavirus (hrHPV) testing (cotesting) or hrHPV testing alone* *The 2018 recommendation specifies cotesting or hrHPV alone (every 5 years) as an alternative to cytology alone every 3 years	Women aged 30 to 65 years Screen every 5 years *Women aged 30 to 65 years have the option of this lengthened screening interval or the alternate recommendation above	Cervical Cancer: Screening (Updated August 2018) Grade: A	Cancer screening tests: HSC 1367.665, INS 10123.20 Cervical cancer screening: HSC 1367.66, INS 10123.18
6	Colorectal cancer (CRC)	Screening	Persons aged 45 to 49 years Screening should begin at age 45 and continue until age 75. Frequency of screening is dependent upon the chosen method. ³⁰	Colorectal Cancer: Screening (Updated May 2021) Grade: B	Cancer screening tests: HSC 1367.665, INS 10123.20

²⁹ The Task Force keeps recommendations as current as possible by routinely updating existing recommendations. The process of updating recommendations includes research and an opportunity for public comment.

³⁰ The frequency for tests is available in the Recommendation Statement available at:

<https://www.uspreventiveservicestaskforce.org/Page/Document/RecommendationStatementFinal/colorectal-cancer-screening2#tab>.

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
7	Colorectal cancer (CRC)	Screening	Persons aged 50 to 75 years Screening should begin at age 45 and continue until age 75. Frequency of screening is dependent upon the chosen method.	Colorectal Cancer: Screening (Updated May 2021) Grade: A	Cancer screening tests: HSC 1367.665, INS 10123.20
8	Lung cancer	Screening with low-dose computed tomography	Adults aged 50 to 80 years who have a 20 pack-year smoking history and currently smoke or have quit within the past 15 years Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.	Lung Cancer: Screening (Updated March 2021) Grade: B	Cancer screening tests: HSC 1367.665, INS 10123.20
9	Ovarian, tubal, or peritoneal cancer	An appropriate brief familial risk assessment tool. Women with a positive result should receive genetic counseling followed by genetic testing for BRCA1 or BRCA2, if indicated.	Women with a personal or family history of breast, ovarian, tubal, or peritoneal cancer or an ancestry associated with <i>BRCA1</i> or <i>BRCA2</i> gene mutation. Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing	BRCA-Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing (Updated August 2019) Grade: B	Cancer screening tests: HSC 1367.665, INS 10123.20
10	Skin cancer	Counseling about minimizing exposure to ultraviolet radiation to reduce risk for skin cancer	Persons with fair skin types aged 6 months to 24 years, including parents of young children	Skin Cancer Prevention: Behavioral Counseling (Updated March 2018) Grade: B	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55
Chronic Conditions					
11	Abdominal aortic aneurysm (AAA)	Ultrasonography	Men aged 65 to 75 years who have ever smoked Screen one time	Abdominal Aortic Aneurysm: Screening (Updated December 2019) Grade: B	None identified

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
12	Anxiety	Screenings	Adults and older adults, including pregnant and postpartum persons	Anxiety Disorders in Adults: Screening (Established June 2023) Grade: B	Maternal Mental Health: HSC 1367.625, INS 10123.867
13	Anxiety	Screening	Children and adolescents aged 8 to 18 years	Anxiety in Children and Adolescents: Screening (Established October 2022) Grade: B	None identified
14	Prediabetes and Type 2 Diabetes	Screening	35 to 70 who have overweight or obesity Screening every 3 years may be a reasonable approach for adults with normal blood glucose levels	Prediabetes and Type 2 Diabetes: Screening (Updated August 2021) Grade: B	None identified
15	Cardiovascular disease (CVD)	Referral to behavioral counseling interventions to promote a healthy diet and physical activity	18 years or older with increased risk of CVD, defined as 1 or more of the following: hypertension or elevated blood pressure, dyslipidemia, or mixed or multiple risk factors such as the metabolic syndrome or an estimated 10-year CVD risk of $\geq 7.5\%$	Healthy Diet and Physical Activity for Cardiovascular Disease Prevention in Adults With Cardiovascular Risk Factors: Behavioral Counseling Interventions (Updated November 2020) Grade: B	None identified
16	Cardiovascular disease (CVD)	Statin	40 to 75 with no history of CVD or signs or symptoms of CVD, 1 or more CVD risk factors, and a calculated 10-year CVD event risk of $\geq 10\%$	Statin Use for the Primary Prevention of Cardiovascular Disease in Adults: Preventive Medication (Updated August 2022) Grade: B	None identified

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
17	Depression	Screening for major depressive disorder (MDD)	Children and adolescents 12 to 18 years	Depression and Suicide Risk in Children and Adolescents: Screening (Updated October 2022) Grade: B	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55
18	Depression	Screening	Adults, including pregnant and postpartum persons and older adults	Depression and Suicide Risk in Adults: Screening (Updated June 2023) Grade: B	Maternal mental health: HSC 1367.625, INS 10123.867
19	Hepatitis B virus (HBV) infection	Screening	Adolescents and adults at increased risk for infection	Hepatitis B Virus Infection in Adolescents and Adults: Screening (Updated December 2020) Grade: B	
20	Hepatitis C virus (HCV) infection	Screening	Persons aged 18 to 79 years	Hepatitis C Virus Infection in Adolescents and Adults: Screening (Updated March 2020) Grade: B	
21	Hypertension	Office blood pressure measurement (OBPM)	Persons aged 18 years and older Obtain measurements outside of clinical setting for diagnostic confirmation before starting treatment Adults aged 18 to 39 years not at increased risk for hypertension and with a prior normal blood pressure reading should be screened every 3 to 5 years Adults ages 40 and older and those at increased risk should be screened annually	Hypertension in Adults: Screening (Updated April 2021) Grade: A	Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
22	Latent Tuberculosis Infection	Screening for latent tuberculosis infection (LTBI)	Asymptomatic adults at increased risk of LTBI	Latent Tuberculosis Infection in Adults: Screening (Updated May 2023) Grade: B	None identified
23	Obesity (Topic is in the process of being updated by USPSTF)	Screening and comprehensive, intensive behavioral interventions to promote improvement in weight status	Children and adolescents aged 6 years and older	Obesity in Children and Adolescents: Screening (Updated June 2017) Grade: B	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5
24	Obesity (Topic is in the process of being updated by USPSTF)	Intensive, multicomponent behavioral interventions	Adults with body mass index (BMI) of 30 kg/m ² or higher	Weight Loss to Prevent Obesity-Related Morbidity and Mortality in Adults: Behavioral Interventions (Updated September 2018) Grade: B	None identified
25	Osteoporosis (Topic is in the process of being updated by USPSTF)	Screening	Postmenopausal women younger than 65 who are at increased risk of osteoporosis, as determined by a formal clinical risk assessment tool	Osteoporosis to Prevent Fractures: Screening (Updated June 2018) Grade: B	Osteoporosis: HSC 1367.67, INS 10123.185
26	Osteoporosis (Topic is in the process of being updated by USPSTF)	Screening	Women aged 65 years and older	Osteoporosis to Prevent Fractures: Screening (Updated June 2018) Grade: B	Osteoporosis: HSC 1367.67, INS 10123.185

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
Health Promotion					
27	Alcohol misuse	Screening for unhealthy alcohol use in primary care and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use	Adults aged 18 years or older, including pregnant women.	Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions (Updated November 2018) Grade: B	Alcoholism treatment: HSC 1367.2(a), INS 10123.6 Nicotine or chemical dependency treatment in licensed alcoholism or chemical dependency facilities: HSC 1367.2(b), INS 10123.6 Maternity services: INS 10123.865, INS 10123.866
28	Dental caries	Oral fluoride supplementation	Children aged 6 months to 5 years whose primary water source is deficient in fluoride	Prevention of Dental Caries in Children Younger Than 5 Years: Screening and Interventions (Updated December 2021) Grade: B	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5
29	Dental caries	Fluoride varnish of primary teeth	Age of primary tooth eruption through 5 years	Prevention of Dental Caries in Children Younger Than 5 Years: Screening and Interventions (Updated December 2021) Grade: B	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5
30	Falls (Topic is in the process of being updated by USPSTF)	Exercise interventions	Adults aged 65 years and older who are community-dwelling and at increased risk for falls	Falls Prevention in Community-Dwelling Older Adults: Interventions (Updated April 2018) Grade: B	None identified

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
31	Gonococcal ophthalmia neonatorum	Prophylactic ocular topical medication	Newborns	Ocular Prophylaxis for Gonococcal Ophthalmia Neonatorum: Preventive Medication (Updated January 2019) Grade: A	Maternity services: INS 10123.865, INS 10123.866 Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5
32	Intimate Partner Violence (Topic is in the process of being updated by USPSTF)	Screening for intimate partner violence Provide or refer women who screen positive to ongoing support services	Women of reproductive age	Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults: Screening (Updated October 2018) Grade: B	None identified
33	Tobacco use	Interventions including education or brief counseling to prevent initiation of tobacco use	School-aged children and adolescents younger than 18 years who have not started to use tobacco	Tobacco Use in Children and Adolescents: Primary Care Interventions (Updated April 2020) Grade: B	None identified
34	Tobacco use	Ask about tobacco use, advise them to stop using tobacco, and provide behavioral interventions and FDA-approved pharmacotherapy for cessation	Adults who are not pregnant	Tobacco Smoking Cessation in Adults, Including Pregnant Persons: Interventions (Updated January 2021) Grade: A	None identified

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
35	Visual impairment	Vision screening to detect amblyopia and its risk factors	Children aged 3-5 years Screen at least once	Vision in Children Ages 6 months to 5 Years: Screening (Updated September 2017) Grade: B	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5
36	Drug misuse	Ask questions about unhealthy drug use	Persons aged 18 years or older, when services for accurate diagnosis, effective treatment, and appropriate care can be offered or referred.	Unhealthy Drug Use: Screening (Updated June 2020) Grade: B	None identified
Pregnancy Related					
37	Alcohol misuse	Screening for unhealthy alcohol use in primary care and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use	Pregnant women aged 18 years or older	Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions (Updated November 2018) Grade: B	Alcoholism treatment: HSC 1367.2(a), INS 10123.6 Nicotine or chemical dependency treatment in licensed alcoholism or chemical dependency facilities: HSC 1367.2(b), INS 10123.6 Maternity services: INS10123.865, INS 10123.866
38	Bacteriuria	Urine culture	Pregnant persons who are asymptomatic, at 12 to 16 weeks gestation or at the first prenatal visit, whichever is earlier	Asymptomatic Bacteriuria in Adults: Screening (Updated September 2019) Grade: B	Maternity services: INS 10123.865, INS 10123.866
39	Breastfeeding (Topic is in the process of being updated by USPSTF)	Interventions to support breastfeeding	Pregnant women, new mothers, and their children Offer during pregnancy and after birth	Breastfeeding: Primary Care Interventions (Updated October 2016) Grade: B	Maternity services: INS 10123.865, INS 10123.866 Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
40	Depression (Topic is in the process of being updated by USPSTF)	Counseling interventions (provision of or referral to)	Pregnant and postpartum persons who are at increased risk of perinatal depression	Perinatal Depression: Preventive Interventions (Updated February 2019) Grade: B	Maternity services: INS 10123.865, INS 10123.866 Maternal mental health: HSC 1367.625, INS 10123.867
41	Gestational diabetes	Screening	Asymptomatic pregnant <u>persons</u> at 24 weeks gestation or after	Gestational Diabetes: Screening (Updated August 2021) Grade: B	Maternity services: INS 10123.865, INS 10123.866 Diabetes (including gestational): HSC 1367.51, INS 10176.61
42	Hepatitis B virus (HBV) infection	Screening	Pregnant women at first prenatal visit	Hepatitis B Virus Infection in Pregnant Women: Screening (Updated July 2019) Grade: A	Maternity services: INS 10123.865, INS 10123.866
43	Human immunodeficiency virus (HIV)	Screening	Pregnant persons - including those who present in labor or at delivery and whose HIV status is unknown	Human Immunodeficiency Virus (HIV) Infection: Screening (Updated June 2019) Grade: A	Maternity services: INS 10123.865, INS 10123.866 HIV testing: HSC 1367.46, INS 10123.91
44	Neural tube defects	Folic acid supplementation to prevent neural tube defects	All persons who are planning to or could become pregnant Recommend daily supplement containing 0.4 to 0.8 mg (400 to 800 µg) of folic acid	Folic Acid for the Prevention of Neural Tube Defects: Preventive Medication (Updated August 2023) Grade: A	Maternity services: INS 10123.865, INS 10123.866

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
45	Preeclampsia (Topic is in the process of being updated by USPSTF)	Screening with blood pressure measurements	Pregnant women without a known diagnosis of preeclampsia or hypertension Screen throughout pregnancy	Preeclampsia: Screening (Updated April 2017) Grade: B	Maternity services: INS 10123.865, INS 10123.866
46	Preeclampsia	Low-dose Aspirin (81 mg/d)	Pregnant persons at high risk for preeclampsia, after 12 weeks gestation	Aspirin Use to Prevent Preeclampsia and Related Morbidity and Mortality: Preventive Medication (Updated September 2021) Grade: B	Maternity services: INS 10123.865, INS 10123.866
47	Rh(D) incompatibility	Rh(D) blood typing and antibody testing	Pregnant women, during first visit for pregnancy-related care	Rh(D) Incompatibility: Screening (Updated February 2004) Grade: A	Maternity services: INS 10123.865, INS 10123.866
48	Rh(D) incompatibility	Repeated Rh(D) antibody testing	Pregnant women who are unsensitized Rh(D)-negative at 24-28 weeks' gestation, unless the biological father is known to be Rh(D)-negative	Rh(D) Incompatibility: Screening (Updated February 2004) Grade: B	Maternity services: INS 10123.865, INS 10123.866
49	Syphilis infection (Topic is in the process of being updated by USPSTF)	Early screening	Pregnant women	Syphilis Infection in Pregnant Women: Screening (Updated September 2018) Grade: A	Maternity services: INS 10123.865, INS 10123.866

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
50	Tobacco use	Ask about tobacco use, advise them to stop using tobacco, and provide behavioral interventions for cessation	Pregnant persons	Tobacco Smoking Cessation in Adults, Including Pregnant Persons: Interventions (Updated January 2021) Grade: A	Maternity services: INS 10123.865, INS 10123.866
51	Unhealthy weight gain	Behavioral counseling to promote healthy weight gain and preventing excess gestational weight gain in pregnancy	Pregnant adults and adolescents	Healthy Weight and Weight Gain In Pregnancy: Behavioral Counseling Interventions (Established May 2021) Grade: A	None identified
Sexual Health					
52	Chlamydia	Screening	Sexually active women, including pregnant persons, 24 years and younger Sexually active women, including pregnant persons, 25 years and older at increased risk for infection	Chlamydia and Gonorrhea: Screening (Updated September 2021) Grade: B	Maternity services: INS 10123.865, INS 10123.866 Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
53	Gonorrhea	Screening	Sexually active women, including pregnant persons, 24 years and younger Sexually active women, including pregnant persons, 25 years and older at increased risk for infection	Chlamydia and Gonorrhea: Screening (Updated September 2021) Grade: B	Maternity services: INS 10123.865, INS 10123.866 Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55
54	Human immunodeficiency virus (HIV)	Prescribe preexposure prophylaxis (PrEP) using effective antiretroviral therapy	Adolescents and adults who are at high risk of HIV acquisition	Prevention of Acquisition of HIV: Preexposure Prophylaxis (Updated August 2023) Grade: A	PrEP and Post-exposure prophylaxis (PEP) for prevention of HIV: HSC: 1342.74, INS 10123.1933 Combination antiretroviral drug treatments for prevention of HIV: HSC 1342.72 , INS 10123.1931 Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55
55	Human immunodeficiency virus (HIV)	Screening	Adolescents and adults aged 15 to 65 as well as younger adolescents and older adults at increased risk of infection	Human Immunodeficiency Virus (HIV) Infection: Screening (Updated June 2019) Grade: A	HIV testing: HSC 1367.46, INS 10123.91 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55

#	Benefit Coverage Specifics related to reference to USPSTF Recommendations ²⁵			USPSTF A or B Recommendation ²⁶	Related Health Insurance Benefit Mandate(s) in California State Law ²⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service ²⁸		
56	Sexually transmitted infections (STIs)	Behavioral counseling	Sexually active adolescents Adults at increased risk for STIs	Sexually Transmitted Infections: Behavioral Counseling (Updated August 2020) Grade: B	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55
57	Syphilis infection	Screening	Adolescents and adults at increased risk for infection	Syphilis Infection in Nonpregnant Adolescents and Adults: Screening (Updated September 2022) Grade: A	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55

Table 3. California³¹ and Federal³² Preventive Service Mandates Specified by Reference to HRSA-Supported Health Plan Coverage Guidelines for Women’s Preventive Services & Related Mandates in California State Law^{33,34}

#	Benefit Coverage Specifics related to reference to HRSA-Supported Guidelines ³⁵			HRSA-Supported Health Plan Coverage Guidelines for Women’s Preventive Services ³⁶	Related Health Insurance Benefit Mandate(s) in California State Law ³⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service		
In the rows that follow, recommendations released less than 12 months prior to 8/11/2023 are highlighted in the same color as this cell. If the new recommendation revises an older recommendation, the change is <u>underlined and defined</u> .					
1	Anxiety	Screening	Adolescent and adult women, including those who are pregnant or postpartum Screening frequency up to clinical judgement	Screening for Anxiety (Updated 2020)	None identified
2	Breast Cancer	Mammography	Women at average risk of breast cancer Initiate screening between ages 40 and 50 through at least age 74 Screen at least biennially and as frequently as annually	Breast Cancer Screening for Average-Risk Women (Updated 2016)	Breast cancer screening, diagnosis, and treatment: HSC 1367.6, INS 10123.8 Cancer screening tests: HSC 1367.665, INS 10123.20

³¹ H&SC 1367.002 & IC 10112.2

³² Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act

³³ For brevity, CHBRP has not listed in each row the California mandate (H&SC 1367.002 & IC 10112.2) that requires compliance with federal laws and regulations requiring coverage of preventive services without cost sharing (Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act).

³⁴ CHBRP is aware that state regulation may require benefit coverage, but is focusing this resource on health insurance benefit mandate laws.

³⁵ See Table 1 for benefit coverage specifics applicable to all tests, treatments, and services addressed by the California and Federal Preventive Services Mandates.

³⁶ Unless otherwise noted, the links listed below were accessed on or before 8/2/2023.

³⁷ Unless otherwise noted, the mandates listed below were reviewed on or before 8/2/2023.

#	Benefit Coverage Specifics related to reference to HRSA-Supported Guidelines ³⁵			HRSA-Supported Health Plan Coverage Guidelines for Women’s Preventive Services ³⁶	Related Health Insurance Benefit Mandate(s) in California State Law ³⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service		
3	Breastfeeding	<p>Comprehensive lactation support services, including counseling, education by clinicians and peer support services, and breastfeeding equipment and supplies</p> <p>Breastfeeding equipment and supplies include double electric breast pumps, including pump parts and maintenance, and breast milk storage supplies</p>	During the antenatal, perinatal, and the postpartum period	<p>Breastfeeding Services and Supplies</p> <p>(Updated January 2022)</p>	<p>Maternity services: INS 10123.865, INS 10123.866</p> <p>Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5</p>
4	Cervical Cancer	Cervical cytology (Pap test)	<p>Women 21 to 29 should be screened every 3 years with cytology</p> <p>Women 30 to 65 should be screened with cytology and HPV testing every 5 years, or cytology alone every 3 years</p> <p>Women with average risk should not be screened more than once every 3 years</p>	<p>Screening for Cervical Cancer</p> <p>(Updated 2016)</p>	<p>Cancer screening tests: HSC 1367.665, INS 10123.20</p> <p>Cervical cancer screening: HSC 1367.66, INS 10123.18</p>

#	Benefit Coverage Specifics related to reference to HRSA-Supported Guidelines ³⁵			HRSA-Supported Health Plan Coverage Guidelines for Women’s Preventive Services ³⁶	Related Health Insurance Benefit Mandate(s) in California State Law ³⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service		
5	Contraception	<p>Full range of Food and Drug Administration (FDA)-approved, -granted, or -cleared contraceptive methods, effective family planning practices, and sterilization procedures</p> <p>Contraceptive care includes screening, education, counseling, provision of contraceptives, and follow-up care</p> <p>NOTE: Exemptions for religious employers or employers with moral objections may be granted by HRSA³⁸</p>	Adolescent and adult women	<p>Contraception</p> <p>(Updated January 2022)</p>	<p>Contraceptive devices requiring a prescription: HSC 1367.25, INS 10123.196</p> <p>Reproductive health care services: HSC 1367.31, INS 10123.202</p>
6	Diabetes	Screening	<p>Postpartum women with a history of gestational diabetes and who have not been previously diagnosed with type 2 diabetes</p> <p>Screen within the first year and as early as 4-6 weeks postpartum</p> <p>Women who were not screened within the first year or those with negative tests should be rescreened at least every 3 years for a minimum of 10 years after pregnancy</p> <p>For those with a positive test in the early postpartum period or who test positive or negative with hemoglobin A1C within 6 months postpartum, screening should be repeated at least 6 months</p>	<p>Screening for Diabetes Mellitus after Pregnancy</p> <p>(Updated January 2023)</p>	<p>Diabetes (including gestational): HSC 1367.51, INS 10176.61</p>

³⁸ See Federal Register /Vol. 82, No. 221 /Thursday, November 15, 2018 /Rules and Regulations available at: <https://www.govinfo.gov/content/pkg/FR-2018-11-15/pdf/2018-24512.pdf> and Federal Register /Vol. 83, No. 221 /Thursday, November 15, 2018 /Rules and Regulations available at: <https://www.govinfo.gov/content/pkg/FR-2018-11-15/pdf/2018-24514.pdf>. On July 8, 2020, the Supreme Court upheld these final rules in *Little Sisters of the Poor v. Pennsylvania*, 591 U. S. ____ (2020).

#	Benefit Coverage Specifics related to reference to HRSA-Supported Guidelines ³⁵			HRSA-Supported Health Plan Coverage Guidelines for Women’s Preventive Services ³⁶	Related Health Insurance Benefit Mandate(s) in California State Law ³⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service		
7	Gestational diabetes	Screening	Pregnant women, between 24 and 28 weeks of gestation (or at first prenatal visit for women with risk factors for diabetes)	Diabetes in Screening for Gestational Diabetes Mellitus (Updated January 2023)	Maternity services: INS 10123.865, INS 10123.866 Diabetes (including gestational): HSC 1367.51, INS 10176.61
8	Human immunodeficiency virus (HIV)	Prevention education and risk assessment	Adolescent and adult women, beginning at age 13 and continued as determined by risk	Screening for Human Immunodeficiency Virus Infection (Updated January 2022)	HIV testing: HSC 1367.46, INS 10123.91
9	Human immunodeficiency virus (HIV)	Screening	Adolescent and adult women aged 15 years and older All women should be tested for HIV at least once during their lifetime Screening annually or more often may be appropriate beginning at age 13 for women with an increased risk of HIV infection All pregnant women upon initiation of prenatal care with retesting based on risk factors Rapid testing is recommended for pregnant women who present in labor with an undocumented HIV status	Screening for Human Immunodeficiency Virus Infection (Updated January 2022)	HIV testing: HSC 1367.46, INS 10123.91
10	Interpersonal and domestic violence	Screening and, when needed, providing or referring for initial intervention services	Adolescent and adult women Screen at least annually	Screening for Interpersonal and Domestic Violence (Updated 2016)	None identified
11	Obesity	Counseling to maintain weight or limit weight gain	Women aged 40 to 60 years with normal or overweight body mass index (BMI) (18.5-29.9 kg/m ²)	Obesity Prevention in Midlife Women (Updated January 2022)	None identified

#	Benefit Coverage Specifics related to reference to HRSA-Supported Guidelines ³⁵			HRSA-Supported Health Plan Coverage Guidelines for Women’s Preventive Services ³⁶	Related Health Insurance Benefit Mandate(s) in California State Law ³⁷
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service		
12	Sexually transmitted infections (STIs)	Behavioral counseling by a health care clinician or other appropriately trained individual	Adolescent and adult women who are sexually active and at an increased risk for STIs	Counseling for Sexually Transmitted Infections (Updated January 2022)	
13	Urinary Incontinence	Screening	Women Screen annually	Screening for Urinary Incontinence (Updated 2018)	None identified
14	Wellness	Well-woman preventive care visit(s), completed at a single or as part of a series of visits that take place over time, depending on age, health status, reproductive health needs, pregnancy status, and risk factors Well-women visits include prepregnancy, prenatal, postpartum, and interpregnancy visits	Adolescent and adult women At least one preventive care visit per year beginning in adolescence and continuing across the lifespan as determined by age and risk factors	Well-Woman Preventive Visits (Updated January 2022)	Multiple mandates relate. See specific conditions or disorders. Any related health insurance benefit mandate in California state law in this document that relates to women.

Table 4. California³⁹ and Federal⁴⁰ Preventive Service Mandates Specified by Reference to HRSA-Supported Comprehensive Guidelines for Infants, Children, and Adolescents⁴¹ & Related Mandates in California State Law^{42,43}

#	Benefit Coverage Specifics related to reference to HRSA-Supported Guidelines ⁴⁴			HRSA-Supported Comprehensive Guidelines for Infants, Children, and Adolescents ⁴⁵	Related Health Insurance Benefit Mandate(s) in California State Law ⁴⁶
	Condition or Disease	Test, Treatment, or Service	Population and other Terms of Coverage specific to this Test, Treatment, or Service		
In the rows that follow, recommendations released less than 12 months prior to 8/11/2023 are highlighted in the same color as this cell.					
1	Wellness	Screening at well-child visits—for full list, see <i>Bright Futures</i> schedule	Children and adolescents aged 21 years and younger, with varied ages for varied screenings – for full list, see <i>Bright Futures</i> schedule Health benefit coverage requirements vary by screening and also vary by age– for full list, see <i>Bright Futures</i> schedule	Recommendations for Preventive Pediatric Health Care Bright Futures/ American Academy of Pediatrics (Updated July 2022)	Comprehensive preventive care for children aged 16 years or younger: ⁴⁷ HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55
2	Wellness	Screening—for full list, see Heritable Disorders panel	Newborns and children– for full list, see Heritable Disorders panel	Recommended Uniform Screening Panel of the Secretary’s Advisory Committee on Heritable Disorders in Newborns and Children (Updated January 2023)	Maternity services: INS 10123.865, INS 10123.866 Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.542

³⁹ H&SC 1367.002 & IC 10112.2

⁴⁰ Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act

⁴¹ Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act.

⁴² For brevity, CHBRP has not listed in each row the California mandate (HSC 1367.002 & INS 10112.2) that requires compliance with federal laws and regulations requiring coverage of preventive services without cost sharing (Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act).

⁴³ CHBRP is aware that state regulation may require benefit coverage, but is focusing this resource on health insurance benefit mandate laws.

⁴⁴ See Table 1 for benefit coverage specifics applicable to all tests, treatments, and services addressed by the California and Federal Preventive Services Mandates.

⁴⁵ Unless otherwise noted, the links listed below were accessed on or before 8/2/2023.

⁴⁶ Unless otherwise noted, the mandates listed below were reviewed on or before 8/2/2023.

⁴⁷ This statute references a similar but older (1987) set of American Academy of Pediatrics recommendations.

Table 5. California⁴⁸ and Federal⁴⁹ Preventive Service Mandates Specified by ACIP Recommendations^{50,51}

#	Benefit Coverage Specifics related to reference to ACIP Recommendations ⁵²			ACIP Recommendations ⁵³	Related Health Insurance Benefit Mandate(s) in California State Law ⁵⁴
	Condition or Disease	Test, Treatment, or Service	Specified populations and other terms		
In the rows that follow, recommendations released less than 12 months prior to 8/11/2023 are highlighted in the same color as this cell.					
1	Vaccine preventable diseases	Immunizations (many) – for the full list, see the ACIP schedule	0 through 18 years, with varied ages for varied immunizations – for the full list, see ACIP schedule Immunization coverage requirements vary by vaccine and also vary by age – for the full list, see ACIP schedule	Recommended Child and Adolescent Immunization Schedule for ages 18 years or younger—United States, 2022 (Table 1) (Updated April 21, 2023)	Maternity services: INS 10123.865, INS 10123.866 Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55
2	Vaccine preventable diseases	Catch-up immunizations (many) – for the full list, see the ACIP schedule	4 months through 18 years, who start late or who are more than 1 month behind, with varied ages for varied immunizations – for the full list, see ACIP schedule Immunization coverage requirements vary by vaccine and also vary by age – for the full list, see ACIP schedule	Recommended Catch-up Immunization Schedule for Children and Adolescents Who Start Late or Who are More than 1 month Behind—United States, 2022 (Table 2) (Updated April 21, 2023)	Comprehensive preventive care for children aged 16 years or younger: HSC 1367.35, INS 10123.5 Comprehensive preventive care for children aged 17 and 18 years: HSC 1367.3, INS 10123.55

⁴⁸ H&SC 1367.002 & IC 10112.2

⁴⁹ Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act

⁵⁰ For brevity, CHBRP has not listed in each row the California mandate (HSC 1367.002 & INS 10112.2) that requires compliance with federal laws and regulations requiring coverage of preventive services without cost sharing (Affordable Care Act Section 1001, modifying Section 2713 of the Public Health Service Act).

⁵¹ CHBRP is aware that state regulation may require benefit coverage, but is focusing this resource on health insurance benefit mandate laws.

⁵² See Table 1 for benefit coverage specifics applicable to all tests, treatments, and services addressed by the California and Federal Preventive Services Mandates.

⁵³ Unless otherwise noted, the links listed below were accessed on or before 8/2/2023.

⁵⁴ Unless otherwise noted, the mandates listed below were reviewed on or before 8/2/2023.

#	Benefit Coverage Specifics related to reference to ACIP Recommendations ⁵²			ACIP Recommendations ⁵³	Related Health Insurance Benefit Mandate(s) in California State Law ⁵⁴
	Condition or Disease	Test, Treatment, or Service	Specified populations and other terms		
3	Vaccine preventable diseases	Immunizations (many) – for the full list, see the ACIP schedule	Adults 19 and older, with varied ages for varied immunizations – for the full list, see ACIP schedule Immunization coverage requirements vary by vaccine and also vary by age – for the full list, see ACIP schedule	Recommended Adult Immunization Schedule for ages 19 years or older— United States, 2022 (Updated April 21, 2023)	None identified

ABOUT CHBRP

The California Health Benefits Review Program (CHBRP) was established in 2002. As per its authorizing statute, CHBRP provides the California Legislature with independent analysis of the medical, financial, and public health impacts of proposed health insurance benefit-related legislation. The state funds CHBRP through an annual assessment on health plans and insurers in California.

Detailed information on CHBRP's analysis methodology, authorizing statute, as well as all CHBRP analyses and other publications are available at <http://www.chbrp.org/>.

CHBRP Staff

Garen Corbett, MS, Director
John Lewis, MPA, Associate Director
Adara Citron, MPH, Principal Policy Analyst
An-Chi Tsou, PhD, Principal Policy Analyst
Karen Shore, PhD, Contractor*

California Health Benefits Review Program
MC 3116
Berkeley, CA 94720-3116
info@chbrp.org
www.chbrp.org
(510) 664-5306

*Karen Shore, PhD, is an Independent Contractors who work with CHBRP to support legislative analyses and other special projects on a contractual basis.

CHBRP is an independent program administered and housed by the University of California, Berkeley, in the Office of the Vice Chancellor for Research.

CHBRP assumes full responsibility for the resource and the accuracy of its contents.